

Tetrosyl



# TRADE VALET

## RANGE

suitable for use  
with popular sprayers

Marketing Bulletin



For more information or to place your order please contact your Sales Manager



Tetrosyl



# TRADE VALET

## Super TFR

Super strong active foam formula that removes hard dirt, baked dust, insects and grease and oil stains. For use all over the car, on aluminum wheels (especially if no dedicated acid formulation can be used), as well as for chassis cleaning. For application by atomizer or pressure washer. PH 11.0 ± 1.0.



Marketing Bulletin

### TO HAND WASH



1. Add product to our specially designed Application Sprayer, for ease of use. Dilute 1:50 (2%).
2. Spray directly onto heavy soils and stains or any heavy grime.
3. Allow the product to dissolve soils and stains for up to 5 minutes. Agitate heavy stains with a brush, sponge or cloth.
4. Rinse using cold water. Repeat process if more cleaning needed.
5. Then wash the vehicle as normal with Hi-Foam Wash for a sparkling shine.

### TO USE WITH JET WASHER



1. Add TFR to the detergent section of your jet washer.
2. Spray directly onto heavy soils and stains or any heavy grime.
3. Allow the product to dissolve soils and stains for up to 5 minutes.
4. Agitate with jet washer attachment brush. Agitate heavy stains with a brush, sponge or cloth.
5. Rinse off with plenty of clean water. Rotate wheel and repeat process, if extra cleaning needed.

Code	Product	Size	Case Qty
TFR505	Trade Valet Super TFR	5L	4
TFR225	Trade Valet Super TFR	25L	1

For more information or to place your order please contact your Sales Manager



Tetrosyl



# TRADE VALET

## Hi-Foam Wash

The revolutionary active foam formula that creates a dense, snow foam during manual and pressure washing. Active formula easily removes any stains from road film, dirt and grease. It also leaves a great shine free from streaks. PH 9.0 ± 1.0.



Marketing Bulletin

### TO HAND WASH



1. Rinse off loose dirt with cold water.



2. Pour 50ml of Hi-Foam Wash into a bucket then add clean, warm water.



3. Apply Hi-Foam Wash all over car starting at the top. Agitate Foam Wash using a sponge or car wash brush.



4. Rinse using clean water. Dry with chamois or microfibre cloth for shine.


### TO USE WITH JET WASHER



1. Rinse off loose dirt with jet washer.



2. Add Hi-Foam Wash to the detergent section of your jet washer.



3. Apply Hi-Foam Wash using high foaming jet washer attachments.



4. Rinse off with clean water. Dry with chamois or microfibre cloth.

Code	Product	Size	Case Qty
CFW005	Trade Valet Hi-Foam Wash	5L	4
CFW025	Trade Valet Hi-Foam Wash	25L	1

For more information or to place your order please contact your Sales Manager



Tetrosyl



# TRADE VALET Hi-Wax Rinse

Achieve the perfect car gloss fast with this product. Provides a waxy, glossy finish effortlessly unlike the vigorous polishing required during traditional waxing. To be applied directly from the bucket, using an atomizer or pressure washer.



Trade Valet  
Hi-Wax Rinse

Code: CWR005  
Size: 5L  
Case Qty: 4

Code: CWR025  
Size: 25L  
Case Qty: 1

### TO USE WITH JET WASHER



1. Wash your car with Trade Valet Hi-Foam Wash.

### TO HAND WASH



1. After washing your car with Trade Valet Hi-Foam Wash. Fill a clean bucket with cold water and add 250ml of Hi-Wax Rinse.



2. No need to dry first. Pour contents of bucket over the car, starting with the roof, then bonnet, boot, doors and wheels.



3. Use a Chamols or Microfibre Cloth to remove the remaining wet spots. If product gets on windscreen or windows, use Trade Valet Crystal Glass to remove.



2. Add Hi-Wax Rinse to the detergent section of your jet washer.



3. No need to dry first. Lightly spray the product over the car using the jet washer, starting with the roof and working your way down to the wheels.



4. Use a Chamols or Microfibre Cloth to remove the remaining wet spots. If product gets on windscreen or windows, use Trade Valet Crystal Glass to remove.

Marketing Bulletin

For more information or to place your order please contact your Sales Manager



Tetrosyl



# TRADE VALET

## Crystal Glass


Contains special additives that quickly dissolves greasy stains, cigarette smoke and organic insect remains. Leaves a clean, streak-free glass surface, both inside and outside the car. For use in the atomizer.



Marketing Bulletin



**1.** Add product to our specially designed Application Sprayer, for ease of use.



**2.** Shake product well before use. Spray evenly on to the glass



**3.** Wipe over the entire surface



**4.** Buff off excess product with a clean, lint-free cloth, turning cloth frequently. May require repeat application for heavily soiled glass

Code	Product	Size	Case Qty
CFG005	Trade Valet Crystal Glass	5L	4
CFG025	Trade Valet Crystal Glass	25L	1

For more information or to place your order please contact your Sales Manager



Tetrosyl



# TRADE VALET

## Super Trim Cleaner

Allows to quickly and easily clean & shine plastic and rubber elements inside and outside the car. Perfect for cockpits, trim strips, bumpers, tires, etc. It leaves long-lasting gloss on cleaned elements and protects them from fading. For use in the atomizer.



Marketing Bulletin



**1.** Add product to our specially designed Application Sprayer, for ease of use.



**2.** Spray product onto tyre walls, trim and cockpit. It is suitable for use on PVC, plastic, leather, wood and most synthetic materials, around the car.



**3.** Use a Microfibre Cloth to remove any excess.

Code	Product	Size	Case Qty
CIT005	Trade Valet Super Trim Cleaner	5L	4
CIT025	Trade Valet Super Trim Cleaner	25L	1

For more information or to place your order please contact your Sales Manager



Tetrosyl



# TRADE VALET

## Super Clean 100+

Multipurpose product that effectively reduces the time of car cleaning. Designed for use in various dilutions, depending on the degree of soiling. It can be used on a wide range of surfaces and hard materials. Use 1:50 dilution for general cleaning and 1:10 dilution for a deeper clean. For use in the atomizer.



Marketing Bulletin

### TO HAND WASH



**1.** Add 50ml to a bucket of clean warm water, or can be used directly from the bottle, when combined with the application sprayer for ease of use.



**2.** Dilute and apply product directly to wheels/door shuts & sills.



**3.** Rinse with clean water and apply with a microfibre cloth.

Code	Product	Size	Case Qty
CSC005	Trade Valet Super Clean 100+	5L	4

For more information or to place your order please contact your Sales Manager



Tetrosyl



# TRADE VALET

## Wheel Cleaner

The perfect formula for cleaning car wheels, which quickly removes seized, thick coatings of road dirt and baked brake dust, leaving a clean and shiny wheel surface. Suitable for use in the atomizer. Acidic preparation (pH <2.5) not for use on chromed, anodized and aluminium wheels.



Marketing Bulletin

### TO HAND WASH



**1.** Add product to our specially designed Application Sprayer, for ease of use.



**2.** Ensure the wheels are cool before applying. Shake product well before use.



**3.** Apply product to one wheel at a time. Leave the formula to penetrate the dirt for 1 minute.



**4.** Agitate foam with a brush.



**5.** Rinse off with plenty of clean water. Rotate wheel 180° and repeat process to avoid missing intricate areas.

Code	Product	Size	Case Qty
CWC505	Trade Valet Wheel Cleaner	5L	4
CWC025	Trade Valet Wheel Cleaner	25L	1

For more information or to place your order please contact your Sales Manager



Tetrosyl



# TRADE VALET

## Tyre Slik

The ideal product for dressing and preserving tyre walls. Refreshes the tyres by giving them an intense glossy black colour. It creates a visual effect of 'wet look' tyres whilst preserving the surface. Suitable for applying with an atomizer, a sponge or a brush.



Marketing Bulletin

### TO SPRAY ON



1. Add product to our specially designed Application Sprayer, for ease of use.



2. Ensure the tyres are clean and dry (use wheel cleaner to achieve this). Shake product well before use.



3. Spray evenly on to the tyre walls, making sure you pull steadily on the trigger to ensure even application; if necessary apply via a sponge or microfibre cloth.

### TO USE WITH A SPONGE OR BRUSH



1. Add product to a bucket or container.



2. Use a brush or sponge to apply to tyre walls.



3. Allow to dry leaving a 'wet look' effect.

Code

Product

Size

Case Qty

TSS505

Trade Valet Tyre Slik

5L

4

TSS025

Trade Valet Tyre Slik

25L

1

For more information or to place your order please contact your Sales Manager